

MASTERGRAIN™

REDEFINE YOUR DOOR



INDEX

| | |
|---|----|
| MASTERGRAIN™ History | 4 |
| Fiberglass vs. Wood | 6 |
| The Anatomy of a MASTERGRAIN Door | 8 |
| Fiberglass Molded Door Lite Frames | 10 |
| Fiberglass Molded Simulated Divided Lites | 12 |
| Fiberglass Cladded Composite Components | 14 |
| Performance Testing | 16 |
| Contemporary Engraved | 18 |
| Contemporary Stainless Inlay | 20 |
| Traditional Classic | 22 |
| Traditional Rustic | 36 |
| YourStyle™ | 44 |
| Shaker Edge Smooth | 54 |
| Craftsman | 58 |
| Contemporary Edge Smooth | 62 |



MASTERGRAIN WAS BORN FROM THE SAME TOOLING USED TO CREATE SUPER MACHINES.

Before we shaped doors, we shaped metal and motion with micron-level precision



1962

The Origin of Weber Manufacturing Ltd. | Windsor, Ontario

Founded in Windsor, Ontario, Weber Manufacturing Ltd. began as a tooling company at a time when manufacturing excellence was defined by hand, eye, and instinct. This was an era where mistakes were expensive, and precision was non-negotiable.

1978

Engineering at Full Scale

Weber invested in the largest high-precision 2-spindle copy milling machine of its kind in North America, proving that scale and accuracy could coexist. That same mindset guides MASTERGRAIN today, delivering design freedom, repeatable quality, and long-term performance through high-tolerance door systems.



2018

Expansion into Pre-Hang Manufacturing | Vaughan, Ontario

MASTERGRAIN evolved into a fully engineered door system manufacturer to gain complete control of fit, finish, and performance. This shift also deepened its understanding of customers and end consumers, strengthening R&D and driving meaningful product innovation.

2024

Launched ARTEMA | Large-Format Custom Fiberglass Doors

Where MASTERGRAIN represents mastery, Artema™ represents freedom. In 2024, after pushing the limits of what fiberglass doors could become, MASTERGRAIN acquired Artema to deliver large-format, highly customized fiberglass door systems that extend beyond today's manufacturing boundaries and are simply not available from conventional door suppliers.



1967

Weber Tools & Mold Established

Weber moved to Midland to access highly skilled machinists from the region's shipbuilding heritage, where working at architectural scale demanded uncompromising precision. That same mastery now defines MASTERGRAIN™ door skins, panels, and complete door systems, with large surfaces engineered for exact geometry, fit, and consistency.



1989

Tooling for the World's Most Demanding Brands. Nickel Tooling Technology (NTT) Division Established

With the launch of NTT, Weber entered the highest tier of manufacturing, producing tooling for automotive, aerospace, and defense industries—where precision is critical and failure is not an option. That same engineering rigor now defines how MASTERGRAIN door systems are designed, tooled, and built for uncompromising performance.

2000

Mastery of Surface Perfection. Nickel Vapor Deposition (NVD) Plant Built

Weber built one of the world's few Nickel Vapor Deposition facilities, enabling precise transfer of surface texture into durable, repeatable tooling. Proven in automotive applications, this innovation ensures the consistency and quality of MASTERGRAIN door skins.

2008

MASTERGRAIN was Born

After decades of building high-precision tooling for the world's most demanding industries, Weber applied that same rigorous engineering discipline and expertise to exterior doors—creating entry systems designed with aerospace-grade precision and performance.



2022

82,000 Sq. Ft. Dedicated MASTERGRAIN Facility | Midland, Ontario

A dedicated facility unified component manufacturing and final assembly, enabling tighter process control, faster development cycles, and system-level quality. It applies the same engineering discipline that was once only required by aerospace and supercar customers to exterior door production.





BEAUTY & PERFORMANCE THAT STAND THE TEST OF TIME

Only MASTERGRAIN offers door manufacturers the design flexibility homeowners demand and the dimensional stability production requires. Our fiberglass panels and components won't warp, rust, or degrade like wood or steel, enabling tighter tolerances, higher first-pass yield, fewer callbacks, and more predictable lead times—protecting margins, throughput, and brand reputation long after the unit leaves the plant.

BETTER THAN WOOD. IT'S MASTERGRAIN.

Every MASTERGRAIN™ panel is molded from real wood master models to deliver depth, texture, and authenticity giving door builders a premium canvas to design distinctive, high-value entryways.




Scan to Explore
Warranty



MASTERGRAIN Fiberglass **VS.** Traditional Wood Door

MASTERGRAIN fiberglass doors are indistinguishable from natural wood doors.



MASTERGRAIN fiberglass doors resist warping, splitting, cracking, rot, and insects much better over time.




THE ONLY FULLY INTEGRATED FIBERGLASS DOOR MANUFACTURER IN THE WORLD.

We are the only fiberglass door manufacturer to **engineer and build our own tooling**—and produce every critical door component from door skins and lite frames to cladding for brickmold, jambs and mullposts in-house.

Every component is clad with the same fiberglass material that accepts stain evenly delivering consistent tone, depth and wood realism across the entire system.

For door builders, this means **unmatched consistency, reliable supply, and total system confidence.**




- FIBERGLASS CLADDED COMPOSITE BRICKMOLD
- FIBERGLASS CLADDED COMPOSITE JAMBS
- ONE-PIECE FIBERGLASS MOLDED DOOR LITE FRAME
- COMPOSITE GLASS STOP
- FIBERGLASS CLADDED COMPOSITE MULLPOST WITH ALLUMINUM REINFORCEMENT
- FIBERGLASS MOLDED SIMULATED DIVIDED LITE (SDL)

PREMIUM FIBERGLASS PANELS BUILT TO LAST

MASTERGRAIN's premium panels deliver exceptional strength, stability, and surface definition. Built to withstand extreme climates and daily use, they maintain their integrity and architectural detail for decades.

UNMATCHED GRAIN VARIETY



ROT-RESISTANT WOOD-PLASTIC COMPOSITE (WPC) TOP RAIL


CFC FREE POLYURETHANE FOAM CORE

4-1/8" WIDE FULL LENGTH ENGINEERED WOOD STILES WITH HARDWOOD EDGE CAP ON BOTH SIDES

SHARP DISTINCTIVE EMBOSMENT DEEP DEFINITION

GLASS FIBER REINFORCED POLYESTER SHEET MOLDED COMPOUND (SMC) SKIN THICKNESS IS 0.090" (CERTAIN STYLES AVAILABLE IN 0.175" FOR ENGRAVING & INLAYS)

ROT-RESISTANT WOOD-PLASTIC COMPOSITE (WPC) KERFED BOTTOM RAIL



Plugless Frame System

Plugged Frame System Also Available

ONE-PIECE FIBERGLASS MOLDED DOOR LITE FRAME

One-piece molded fiberglass door lite frames are formed as a single, continuous component, eliminating joints, seams, and fasteners for a clean, precise appearance. Molded from high-performance Sheet Molding Compound (SMC), they deliver a tight fit, consistent sightlines, and long-term dimensional stability.

Compared to wood, vinyl, or aluminum frames, fiberglass will not rot, corrode, warp, or loosen, even under extreme temperature and moisture conditions. The result is a stronger, lower-maintenance frame with superior air and water tightness and lasting structural integrity.


FRAME / SURROUND OPTIONS

Design options for door lite frames span contemporary, traditional, and flush-fit profiles, allowing the glass to complement any architectural style. Contemporary frames feature clean lines and sharp edges for a modern, minimal aesthetic. Traditional profiles incorporate deeper contours and classic detailing for a more decorative look. Flush-fit frames sit level with the door surface, creating a seamless, integrated appearance ideal for modern and transitional designs. Each option delivers precise fit and consistent sightlines, giving designers the flexibility to match the door's character while maintaining a refined, cohesive finish.




STEPPED - CONTEMPORARY

Available grain/texture:
Edge Smooth



STEPPED - TRADITIONAL

Available grain/texture:
Cherry, Mahogany, Oak and Knotty Alder



FLUSH - EDGE SMOOTH

Available grain/texture:
Edge Smooth *



FLUSH - FIR

Available grain/texture:
Fir *

* Exclusive to MASTERGRAIN is an integrated, one-piece molded door lite frame and Craftsman dentil shelf, available in woodgrain Fir and Edge Smooth. See pages 58-61.

FIBERGLASS MOLDED SIMULATED DIVIDED LITES

Molded fiberglass simulated divided lites (SDLs) are formed as durable, one-piece profiles that replicate the depth and shadow lines of true divided lites. Each component is precisely notched ensuring accurate alignment, efficient assembly, and consistent sightlines.

Unlike wood or applied grille systems, molded fiberglass SDLs will not rot, warp, or loosen over time. They maintain crisp definition and dimensional stability through temperature swings and moisture exposure, delivering authentic architectural detail with long-term durability and low maintenance.

Colonial Alder

Colonial Oak

Colonial Mahogany / Cherry

Contemporary Fir

Contemporary Edge Smooth

3.5" Wide Contemporary
Edge Smooth & Fir Sold in 8' Lengths


5.125" Wide Contemporary
Edge Smooth & Fir Sold in 8' Lengths

All 1" SDLs come pre-taped and notched to create a beautiful lap-joint

FIBERGLASS CLADDED COMPOSITE COMPONENTS


The industry's only NVD fiberglass-cladded components combine a durable structural core with a molded fiberglass exterior, featuring the same authentic woodgrain texture as MASTERGRAIN™ door panels—ensuring perfectly aligned grain patterns and seamless, uniform depth and definition across the entire door system when stained.

- Versatile lengths and widths
- 2X screw holding power due to rigid composite formulation and closed cellular structure
- Rot and moisture resistant
- Stronger than wood door frames
- Low maintenance
- Insect and rodent resistant



SMC base colors tuned to each woodgrain—beige for Knotty Alder, Oak, Fir and Edge Smooth and rose-beige for Mahogany and Cherry—to support finishing results.

FIBERGLASS CLADDED COMPOSITE JAMBS



| FIBERGLASS CLADDED JAMBS | | | |
|--|-----------------------------------|-----------------------------------|----------------------------------|
| | 4- ⁵ / ₁₆ " | 6- ⁷ / ₁₆ " | 7- ⁵ / ₈ " |
| 1- ³ / ₄ " cladded | ✓ | ✓ | ✗ |
| 1- ³ / ₄ " non-cladded | ✓ | ✓ | ✓ |
| 2- ¹ / ₄ " cladded | ✗ | ✓ | ✗ |

Size and availability depending on grain/model.




FIBERGLASS CLADDED COMPOSITE BRICKMOLD



| FIBERGLASS CLADDED BRICKMOLDS | | | |
|----------------------------------|--------------------|-------------------|-----|
| | Knotty Alder / Oak | Mahogany / Cherry | Fir |
| 2" | ✓ | ✓ | ✗ |
| 3- ³ / ₄ " | ✗ | ✓ | ✓ |


Size and availability depending on grain/model.



2" Standard Profile

3-³/₄" Fir Profile

FIBERGLASS CLADDED MULL POST WITH ALUMINUM REINFORCEMENT



TRANSOM SILL & GLASS STOP

COMPOSITE TRANSOM SILL WITH GRAIN (NON-CLADDED)



| Size | Part # | Finish |
|---|------------|---------------|
| 5- ⁵ / ₈ " x 120" | TSCOM4120 | Grained |
| 7- ⁵ / ₈ " x 120" | TSCOM6120 | Grained |
| 5- ⁵ / ₈ " X 168" | TSCOM4168P | Smooth Primed |
| 7- ⁵ / ₈ " X 168" | TSCOM6168P | Smooth Primed |



COMPOSITE GLASS STOPS (NON-CLADDED)



| Size | Part # | Finish |
|--|---------|------------|
| ³ / ₄ " x ¹ / ₂ " x 144" | GS-COMG | Grained |
| ³ / ₄ " x ¹ / ₂ " x 144" | GS-COM | Smooth Raw |
| .354" x .553" x 99" | GSCOM99 | Grained |

PERFORMANCE TESTING

MASTERGRAIN™ panels are independently tested and verified to meet rigorous performance standards across a wide range of climates and conditions. From energy efficiency and thermal performance to structural integrity and weather resistance, our doors are evaluated to perform reliably in real-world environments – including strong winds, windborne debris, and coastal moisture – making them suitable for use in some of North America’s most demanding building zones.



FORCED ENTRY TEST

SCAN TO SEE
OUR PRODUCT
PUT TO TEST



These images and the linked video capture a forced-entry test of a MASTERGRAIN fiberglass panel with lite frame and glass using a standard double-bore lockset. Extreme impact and prying loads are applied at the latch and deadbolt to simulate an aggressive break-in. While the hardware and surrounding stile deform and crack under abuse, the fiberglass panel and integrated lite frame remain fully intact and seated. The glass does not shift or release, proving that the skin, core, and lite frame function as a single structural system, not just a cosmetic assembly.

In practical terms, the test shows that MASTERGRAIN panels can absorb and redistribute severe loads without delamination, frame movement, or glass loss—maintaining opening integrity even when the lockset itself is driven beyond its mechanical limits.



IMPACT TESTED PRODUCTS ARE FOUND UNDER THE FOLLOWING APPROVAL NUMBERS

| Non-Impact | Impact | HVHZ |
|------------|----------|------------------------------|
| #FL13320 | #FL21852 | #FL21852.19* #FL21852.49* |

Visit www.floridabuilding.org/pr/pr_app_srch.aspx for details.
*Tested with opaque 3'-6" x 8' outswing.
MASTERGRAIN doors are NAFS and ENERGY STAR® Canada Certified. Visit <https://oee.nrcan.gc.ca/pml-lmp/index.cfm> to view ENERGY STAR Canada certified products.

CONTEMPORARY | ENGRAVED



Contemporary Cherry Engraved | C953

AVAILABLE GRAINS / TEXTURES



Cherry - C#



Oak - O#



Edge Smooth - E#



499 / 599 *



124 / 154 **

3



125 / 155 **

2



500 / 550

1



501 / 551

1



528 / 553

1



536 / 552

1



900 / 950 **

2



901 / 951 **

2



902 / 952 **

2



903 / 953 **

2



905 / 955 **

2



906 / 956 **

2



907 / 957 **

2



908 / 958 **


2

SIZING


| | | | | |
|------------------|-------|-----|-----|-----|
| Heights | 6'-8" | 7' | 8' | |
| Widths | 32" | 34" | 36" | 42" |
| Sidelites Widths | 10" | 12" | 14" | 16" |

DESIGN & ENGINEERING NOTES

- Engraving stops before door edge for air and water protection.
- *Also available in 30" and 0.175" thick skins
- ** 30" width available for special order
- 2-1/4" slab thickness available without glass.
- Custom design options are available. Subject to engineering review.



ARCHITECTURAL DETAIL



Not engineering drawings. For reference only.

CONTEMPORARY | STAINLESS INLAY



Contemporary Cherry Stainless Inlay | C613

AVAILABLE GRAINS / TEXTURES



Cherry - C#



Oak - O#



Edge Smooth - E#



601 / 608

1



602 / 609

1



603 / 610 *

1



604 / 611

1



605 / 612 *

1



606 / 613

1




607 / 614 **

2



615 / 665 *

3



Inlays available in gold, black or stainless.

Inlay stops before door edge for air and water protection.


SIZING

| | | | | |
|------------------|-------|-----|-----|-----|
| Heights | 6'-8" | 7' | 8' | |
| Widths | 32" | 34" | 36" | 42" |
| Sidelites Widths | 10" | 12" | 14" | 16" |

DESIGN & ENGINEERING NOTES

- Also available in 30" width x 7' height and 0.175" thick skins
- Not offered in custom sizes
- Custom design options available, subject to engineering review
- Black mirrored inlay available for C615 / C665 only
- 2-1/4" slab thickness available for doors without glass

ARCHITECTURAL DETAIL



Not engineering drawings. For reference only.

TRADITIONAL | CLASSIC



Traditional Classic Mahogany | M262 | M-SL-48 | Lite 8x48


AVAILABLE GRAINS / TEXTURES



Cherry - C



Oak - O



Mahogany- M



C220
O294
M262



14x37 OV



22x48 CT



4 Lite 22x48 CT



6 Lite 22x48 CT



8 Lite 22x48 CT



CT 22x48 CT



22x48



4 Lite 22x48



6 Lite 22x48



8 Lite 22x48



12 Lite 22x48



Prairie 22x48



C-SL-48
O-SL-48
M-SL-48



1 Lite
8x48



2 Lite
8x48



3 Lite
8x48



4 Lite
8x48



4 Lite
8x48
2x2



Prairie
8x48


SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |


DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498) and Oak (O498).
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.
- 2-¼" slab thickness available for doors without glass.

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional Frame



Colonial Oak and Mahogany/Cherry SDL

TRADITIONAL | CLASSIC



Traditional Classic Cherry | C200 | C-SL-36 8x36

AVAILABLE GRAINS / TEXTURES



Cherry - C



Oak - O



Mahogany - M



C200
O277
M247



22x11 CT



4 Lite 22x11 CT



22x36



4 Lite 22x36



6 Lite 22x36



9 Lite 22x36



C-SL-36
O-SL-36
M-SL-36



8x36



2 Lite
8x36



3 Lite
8x36



4 Lite
8x36


SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |


DESIGN & ENGINEERING NOTES

- 2-1/4" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498) and Oak (O498).
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional Frame



Colonial Oak and Mahogany/Cherry SDL

TRADITIONAL | CLASSIC



Traditional Classic Cherry | C200 10 Lite 22x64 | C-SL-36 5 Lite

AVAILABLE GRAINS / TEXTURES



Cherry



Oak



Mahogany



C200
O277
M247



22x64



4 Lite 22x64



6 Lite 22x64



8 Lite 22x64



10 Lite 22x64



15 Lite 22x64



Prairie 22x64



C-SL-36
O-SL-36
M-SL-36



6x64



8x64



2 Lite



3 Lite



4 Lite



5 Lite



4 Lite
2x2



Prairie



Prairie
2H


SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |


DESIGN & ENGINEERING NOTES

- 10" flush panel sidelites available in Cherry (C498) and Oak (O498).
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional Frame



Colonial Oak and Mahogany/Cherry SDL

TRADITIONAL | CLASSIC



Traditional Classic Oak | O292 | O-SL-48 5 Lite 8x64

AVAILABLE GRAINS / TEXTURES



Cherry



Oak



C215
O292



8x42 RT



C-SL-48
O-SL-48



8x64



2 Lite
8x64



3 Lite
8x64



4 Lite
8x64



5 Lite
8x64



4 Lite
8x64
2x2



Prairie
8x64
2H



Prairie


SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 34" | 36" | |
| Sidelites Widths | 12" | 14" | 16" |


DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498) and Oak (O498).
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional Frame



Colonial Oak and Mahogany/Cherry SDL

TRADITIONAL | CLASSIC




Traditional Classic Oak | O277 6 Lite 22x48

AVAILABLE GRAINS / TEXTURES



Cherry



Oak



C233
O277



C234



14x37 OV



22x48



4 Lite 22x48



6 Lite 22x48



8 Lite 22x48



12 Lite 22x48



Prairie 22x48



C-SL-48
O-SL-48



8x48



2 Lite
8x48



3 Lite
8x48



4 Lite
8x48



4 Lite
8x48
2x2



Prairie
8x48


SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |


DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498) and Oak (O498).
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional Frame



Colonial Oak and Mahogany/Cherry SDL

TRADITIONAL | CLASSIC



Traditional Classic Cherry | C250 10 Lite 22x64 | C-SL-64 5 Lite 8x64

AVAILABLE GRAINS / TEXTURES



Cherry



C250



22x64



4 Lite 22x64



6 Lite 22x64



8 Lite 22x64



10 Lite 22x64



15 Lite 22x64



Prairie 22x64



C-SL-64



8x64



2 Lite
8x64



3 Lite
8x64



4 Lite
8x64



5 Lite
8x64



4 Lite
8x64
2x2



Prairie
8x64


SIZING

| | | | |
|------------------|-----|-----|-----|
| Heights | 8' | | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |

DESIGN & ENGINEERING NOTES

- 2-1/4" slab thickness available for 36" x 8' and 42" x 8' doors, without glass.
- 10" flush panel sidelites available in Cherry (C498) and Oak (O498).
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional Frame



Colonial Oak and Mahogany/Cherry SDL

TRADITIONAL | CLASSIC



Traditional Classic Cherry | C217

AVAILABLE GRAINS / TEXTURES



Cherry



C217



C218 (3 Plank)



C219 (5 Plank)



28x48



4 Lite 28x48



6 Lite 28x48



8 Lite 28x48



12 Lite 28x48



C8-SL-48



8x48



2 Lite 8x48



3 Lite 8x48



4 Lite 8x48



4 Lite 8x48 2x2



Prairie 8x48


SIZING

| | |
|------------------|-------------|
| Heights | 8' |
| Widths | 42" |
| Sidelites Widths | 12" 14" 16" |

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498)
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional Frame



Colonial Oak and Mahogany/Cherry SDL

TRADITIONAL | RUSTIC



Traditional Rustic Knotty Alder | KA166

AVAILABLE GRAINS / TEXTURES



Knotty Alder



KA165 22x48 CT 4 Lite 22x48 CT 6 Lite 22x48 CT 8 Lite 22x48 CT CT 22x48 CT KA166 (5 Plank) CT KA166 (5 Plank)



Prairie 22x48 22x48 4 Lite 22x48 6 Lite 22x48 8 Lite 22x48 12 Lite 22x48



KA-SLR 8x48 2 Lite 8x48 3 Lite 8x48 4 Lite 8x48 4 Lite 8x48 2x2


SIZING

| | | | |
|------------------|-----|-----|-----|
| Heights | 8' | | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Rustic Colonial Embossment Stepped - Traditional Frame Molded Knot Detail Colonial Alder SDL

TRADITIONAL | RUSTIC



Rustic Knotty Alder | KA159 4 Lite 22x48

AVAILABLE GRAINS / TEXTURES



Knotty Alder



KA159 KA160 (5 Plank) 22x36 4 Lite 22x36 6 Lite 22x36 8 Lite 22x36 9 Lite 22x36



22x64 4 Lite 22x64 6 Lite 22x64 8 Lite 22x64 10 Lite 22x64 15 Lite 22x64 Prairie 22x64



KA-SLR 8x36 2 Lite 8x36 3 Lite 8x36 4 Lite 8x36


SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Rustic Colonial Embossment Stepped - Traditional Frame Molded Knot Detail Colonial Alder SDL

TRADITIONAL | RUSTIC



Rustic Cherry | C145

AVAILABLE GRAINS / TEXTURES



Cherry



C144



C145 (5 Plank)



CT C145 (5 Plank)



C-SLR-64



8x64



2 Lite
8x64



3 Lite
8x64



4 Lite
8x64



5 Lite
8x64



Prairie
8x64

SIZING

| | | | |
|------------------|-----|-----|-----|
| Heights | 8' | | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498)
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Rustic Colonial Embossment



Colonial Cherry SDL

TRADITIONAL | RUSTIC



Rustic Cherry | C101 | C-SLR-48 8x64

AVAILABLE GRAINS / TEXTURES



Cherry



C100



C101 (5 Plank)



Camber (5 Plank)



Camber 22x48 CT



22x48 CT



4 Lite 22x48 CT



6 Lite 22x48 CT



8 Lite 22x48 CT



14x37 OV



C-SLR-48 8x48



8x48



2 Lite 8x48



3 Lite 8x48



4 Lite 8x48



4 Lite 8x48 2x2



Prairie 8x48



8x64

SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498)
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Rustic Colonial Embossment



Stepped - Traditional Frame



Colonial Cherry SDL

YOURSTYLE™ | 8' ONE-PANEL SHAKER



YourStyle | F874

AVAILABLE GRAINS / TEXTURES



Fir



F801

F862

F863

F864

F865

F866

F867



F868

F869

F871

F872

F873

F874

F875

The MASTERGRAIN™ YourStyle™ Door Collection combines the clean look of a one-panel shaker door with simulated divided lites (SDLs) to create custom patterns on solid or glazed panels. Available in Fir or Edge Smooth, the system is supplied as components rather than pre-assembled units, with standard panels, lineal SDL lengths, and layout drawings that allow fabricators to stock material and efficiently cut and assemble multiple custom door designs as needed.

SIZING

| | | |
|---------|-----|-----|
| Heights | 8' | |
| Widths | 34" | 36" |

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- SDL bars available in 3-½" and 5-½" widths.

ARCHITECTURAL DETAIL



Simulated Divided Lites

3.5" Contemporary
Fir SDL

5.125" Contemporary
Fir SDL

YOURSTYLE™ | 8' ONE-PANEL SHAKER | DOOR LITE



YourStyle | F869 22x80

AVAILABLE GRAINS / TEXTURES



Fir



F801



F801 22x80



F862 22x80



F863 22x80



F864 22x80



F865 22x80



F866 22x80



F867 22x80



F868 22x80



F869 22x80



F871 22x80



F872 22x80



F873 22x80



F-SL-1P



F-SL-1P 8x64

The MASTERGRAIN™ YourStyle™ Door Collection combines the clean look of a one-panel shaker door with simulated divided lites (SDLs) to create custom patterns on solid or glazed panels. Available in Fir or Edge Smooth, the system is supplied as components rather than pre-assembled units, with standard panels, lineal SDL lengths, and layout drawings that allow fabricators to stock material and efficiently cut and assemble multiple custom door designs as needed.

SIZING

| | | |
|---------|-----|-----|
| Heights | 8' | |
| Widths | 34" | 36" |

DESIGN & ENGINEERING NOTES

- SDL bars available in 3-½" and 5-⅛" widths.

ARCHITECTURAL DETAIL



Flush - Fir Frame



3.5" Contemporary
Fir SDL




5.125" Contemporary
Fir SDL

YOURSTYLE™ | 6'-8" & 7' ONE-PANEL SHAKER



YourStyle | E824


AVAILABLE GRAINS / TEXTURES



Fir - F#



Edge Smooth - E#



The MASTERGRAIN™ YourStyle™ Door Collection combines the clean look of a one-panel shaker door with simulated divided lites (SDLs) to create custom patterns on solid or glazed panels. Available in Fir or Edge Smooth, the system is supplied as components rather than pre-assembled units, with standard panels, lineal SDL lengths, and layout drawings that allow fabricators to stock material and efficiently cut and assemble multiple custom door designs as needed.

SIZING

| | | |
|---------|-------|-----|
| Heights | 6'-8" | 7' |
| Widths | 34" | 36" |

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- SDL bars available in 3-½" and 5-½" widths.

ARCHITECTURAL DETAIL



Simulated Divided Lites

3.5" Contemporary
Fir SDL

5.125" Contemporary
Fir SDL

YOURSTYLE™ | 6"-8" & 7' ONE-PANEL SHAKER | DOOR LITE



YourStyle | E826

AVAILABLE GRAINS / TEXTURES



Fir - F#



Edge Smooth - E#



800



800 22x64




822 22x64



823 22x64



824 22x64




825 22x64




826 22x64



827 22x64



828 22x64



829 22x64



831 22x64



832 22x64



833 22x64

The MASTERGRAIN™ YourStyle™ Door Collection combines the clean look of a one-panel shaker door with simulated divided lites (SDLs) to create custom patterns on solid or glazed panels. Available in Fir or Edge Smooth, the system is supplied as components rather than pre-assembled units, with standard panels, lineal SDL lengths, and layout drawings that allow fabricators to stock material and efficiently cut and assemble multiple custom door designs as needed.


SIZING

| | | |
|---------|-------|-----|
| Heights | 6'-8" | 7' |
| Widths | 34" | 36" |

DESIGN & ENGINEERING NOTES

- SDL bars available in 3-1/2" and 5-1/8" widths.

ARCHITECTURAL DETAIL



Flush - Fir & Edge Smooth Frame



3.5" Contemporary Edge Smooth SDL



5.125" Contemporary Edge Smooth SDL

YOURSTYLE™ | 8' FLUSH | DOOR LITE



YourStyle | Barn 22x80

AVAILABLE GRAINS / TEXTURES



Edge Smooth



E705



22x80



1H 22x80



2H 22x80



3H 22x80



4H 22x80



5H 22x80



6H 22x80



4H 3HL 22x80



4H 2HL 22x80



BARN 22x80



4H 2HL 22x80



CRFT 22x80

SIZING

| | | | |
|---------|-----|-----|-----|
| Heights | 8' | | |
| Widths | 34" | 36" | 42" |


DESIGN & ENGINEERING NOTES

- SDL bars available in 3-½" and 5-½" widths.

ARCHITECTURAL DETAIL



Stepped - Contemporary Frame



3.5" Contemporary Edge Smooth SDL



5.125" Contemporary Edge Smooth SDL

SHAKER | EDGE SMOOTH



Shaker | Edge Smooth | E800 22x64

AVAILABLE GRAINS / TEXTURES



Edge Smooth - E#



E800



22x64



4 Lite 22x64



6 Lite 22x64



8 Lite 22x64



10 Lite 22x64



15 Lite 22x64


SIZING

| | | |
|---------|-------|-----|
| Heights | 6'-8" | 7' |
| Widths | 34" | 36" |

DESIGN & ENGINEERING NOTES

- SDL bars available in 3-½" and 5-⅞" widths.
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Flush - Edge Smooth Frame



Contemporary Edge Smooth SDL

SHAKER | EDGE SMOOTH



Shaker | Edge Smooth | E904

AVAILABLE GRAINS / TEXTURES



Edge Smooth



E736



E904 *
Engraved



22x36



4 Lite 22x36



6 Lite 22x36



9 Lite 22x36



E746



E954 *
Engraved



22x48



4 Lite 22x48



6 Lite 22x48



8 Lite 22x48



12 Lite 22x48



E737



8x36



2 Lite
8x36



3 Lite
8x36



4 Lite
8x36



E747



8x48



2 Lite
8x48



3 Lite
8x48



4 Lite
8x48



4 Lite
8x48
2x2

SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | 8' |
| Widths | 34" | 36" | |
| Sidelites Widths | 12" | 14" | 16" |

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available.
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Flush - Edge Smooth Frame



Contemporary Edge Smooth SDL



Not engineering drawings. For reference only.

*Ball Groove Profile

CRAFTSMAN



Craftsman Fir | F300 3 Lite 23-3/4x15 Dentil Shelf

AVAILABLE GRAINS / TEXTURES



Fir



Edge Smooth



F300
E721



23-3/4x15



2 Lite 23-3/4x15



4 Lite 23-3/4x15



3 Lite 23-3/4x15



6 Lite 23-3/4x15



F-SL-2P
8x15



2 Lite H
8x15



2 Lite V
8x15



4 Lite
8x15



8x64



Prairie 2H
8x64



Craftsman
8x64

Matching Sidelite Only Available in Fir


SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 34" | 36" | |
| Sidelites Widths | 12" | 14" | 16" |

DESIGN & ENGINEERING NOTES

- 2-3/4" slab thickness available for doors without glass.
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Optional Integrated Dentil Shelf



Flush - Fir Frame



Contemporary Fir SDL



Contemporary Edge Smooth SDL

CRAFTSMAN



Craftsman Fir | F350 6 Lite 23-3/4x19-1/4 | F-SL-2P 2 Lite H 8x19-1/4

AVAILABLE GRAINS / TEXTURES



Fir



F350



23-3/4x19-1/4



2 Lite
23-3/4x19-1/4



4 Lite
23-3/4x19-1/4



3 Lite
23-3/4x19-1/4



6 Lite
23-3/4x19-1/4



F-SL-2P
8x19-1/4



2 Lite H
8x19-1/4



2 Lite V
8x19-1/4



4 Lite
8x19-1/4



8x77



Prairie 2H
8x77



Craftsman
8x77

SIZING

| | | | |
|------------------|-----|-----|-----|
| Heights | 8' | | |
| Widths | 34" | 36" | |
| Sidelites Widths | 12" | 14" | 16" |

DESIGN & ENGINEERING NOTES

- 2-1/4" slab thickness available for doors without glass.
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Optional Integrated Dentil Shelf



Flush - Fir Frame



Contemporary Fir SDL

CONTEMPORARY | EDGE SMOOTH




Contemporary Edge Smooth | E701

AVAILABLE GRAINS / TEXTURES



Edge Smooth



E701*
*Not available
in 8'

22x17
Glass 1

22x17
Glass 2

22x17
Glass 3



E703**
Also available
in 42"

8x64 L

8x64 C

8x64 R


E705

8x80 L

8x80 C

8x80 R

22x3.5
Glass 5



E704 / E707

8x64 / 8x80

2 Lite 8x64 /
2 Lite 8x80

3 Lite 8x64 /
3 Lite 8x80

4 Lite 8x64 /
4 Lite 8x80

5 Lite 8x64 /
5 Lite 8x80

4 Lite 8x64 2x2 /
4 Lite 8x80 2x2

SIZING

| | | | | | | |
|------------------|-------|-----|-----|-----|-----|-----|
| Heights | 6'-8" | 7' | 8' | | | |
| Widths | 32" | 34" | 36" | 42" | | |
| Sidelites Widths | 12" | 14" | 16" | 12" | 14" | 16" |


DESIGN & ENGINEERING NOTES

- 2-1/4" slab thickness available for doors without glass
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Edge Smooth
Embossment



Stepped -
Contemporary Frame



Contemporary Edge
Smooth SDL

CONTEMPORARY | EDGE SMOOTH



Contemporary Edge Smooth | E706 10 Lite 22x64 | E708 5 Lite 8x64

AVAILABLE GRAINS / TEXTURES



Edge Smooth



E700 / E706



22x48 / 22x64



4 Lite 22x48 /
4 Lite 22x64



6 Lite 22x48 /
6 Lite 22x64



8 Lite 22x48 /
8 Lite 22x64



10 Lite 22x48 /
10 Lite 22x64



12 Lite 22x48 /
15 Lite 22x64



E702 / E708



8x48 / 8x64



2 Lite 8x48 /
2 Lite 8x64



3 Lite 8x48 /
3 Lite 8x64



4 Lite 8x48 /
4 Lite 8x64



5 Lite 8x48 /
5 Lite 8x64



4 Lite 8x48 2x2 /
4 Lite 8x64 2x2


SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | 8' |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | |


DESIGN & ENGINEERING NOTES

- 2-1/4" slab thickness available for doors without glass
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Edge Smooth Embossment



Stepped - Contemporary Frame



Contemporary Edge Smooth SDL

CONTEMPORARY | EDGE SMOOTH




Contemporary Edge Smooth | E705 10 Lite 22x80 | E707 5 Lite 8x80

AVAILABLE GRAINS / TEXTURES



Edge Smooth



E703 22x64 / E705 22x80


4 Lite 22x64 / 4 Lite 22x80

6 Lite 22x64 / 6 Lite 22x80

8 Lite 22x64 / 8 Lite 22x80

10 Lite 22x64 / 10 Lite 22x80

15 Lite 22x64 / 15 Lite 22x80



28x80 (42" x 8' Slab Size Only)


4 Lite 28x80

6 Lite 28x80

8 Lite 28x80

10 Lite 28x80

15 Lite 28x80



E704 8x64 / E707 8x80

2 Lite 8x64 / 2 Lite 8x80

3 Lite 8x64 / 3 Lite 8x80

4 Lite 8x64 / 4 Lite 8x80

5 Lite 8x64 / 5 Lite 8x80

4 Lite 8x64 2x2 / 4 Lite 8x80 2x2

SIZING

| | | | | |
|------------------|-------|-----|-----|-----|
| Heights | 6'-8" | 7' | 8' | |
| Widths | 32" | 34" | 36" | 42" |
| Sidelites Widths | 12" | 14" | 16" | |

DESIGN & ENGINEERING NOTES

- 2-1/4" slab thickness available for doors without glass
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Stepped - Contemporary Frame

Contemporary Edge Smooth SDL

DIMENSION MATRIX

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

| GRAIN | MODEL NUMBER | COLLECTION | DESIGN | DOOR THICKNESS | PANEL NUMBER | CUTOUT OPTIONS | SDL OPTIONS | WIDTH | HEIGHT | | | MATCHING SIDELITE | SIDELITE WIDTH | | | | |
|--------|------------------------|--------------|----------|------------------|--------------|------------------------------------|-------------|--------------------------|-------------|-------------|-------------|-------------------|----------------|-----|-----|-----|---|
| | | | | | | | | | 6-8" | 7' | 8' | | 10" | 12" | 14" | 16" | |
| CHERRY | C100/C101 | Rustic | | 1-3/4" | 2 | 14"x37" O 22"x48" CT 22"x48" | • | 32" 34" 36" 42" | • • • | • • • | | C-SLR-48 | | • | • | • | |
| | C144/C145 | Rustic | | 1-3/4" 2-1/4" | 2 | 22"x64" | • | 32" 34" 36" 42" | | • • • | | C-SLR-64 | | • | • | • | |
| | C200 | Classic | | 1-3/4" | 6 | 22"x11" CT 22"x36" 22"x64" | • | 32" 34" 36" 42" | • • • | • • • | | C-SL-36 | | • | • | • | |
| | C215 | Classic | | 1-3/4" | 8 | 8"x42" RT | | 32" 34" 36" 42" | • • • | • • • | | C-SL-48 | | • | • | • | |
| | C217/C218/ C219 | Classic | | 1-3/4" 2-1/4" | 2 | 28"x48" | • | 32" 34" 36" 42" | | | • | | C8-SL-48 | | • | • | • |
| | C220 | Classic | | 1-3/4" | 3 | 22"x48" CT 22"x48" 14"x37" O | • | 32" 34" 36" 42" | • • • | • • • | | | C-SL-48 | | • | • | • |
| | C233/C234 | Classic | | 1-3/4" | 2 | 14"x37" O 22"x48" 22"x64" | • | 32" 34" 36" 42" | • • • | • • • | | | C-SL-48 | | • | • | • |
| | C250 | Classic | | 1-3/4" 2-1/4" | 2 | 22"x64" | • | 32" 34" 36" 42" | | | • • • | | C8-SL-64 | | • | • | • |
| | C499/C599 | Contemporary | Flush | 1-3/4" 2-1/4" | Flush | 8"x64" 22"x80" | | 32" 34" 36" 42" | • • • | • • • | • • • | | C498 | • | • | • | • |
| | C124/C125 | Contemporary | Engraved | 1-3/4" | Plank | | | 32" 34" 36" 42" | • • • | • • • | | | C498 | • | • | • | • |
| | C154/C155 | Contemporary | Engraved | 1-3/4" 2-1/4" | Plank | | | 32" 34" 36" 42" | • • • | • • • | | | C498 | • | • | • | • |
| | C500/C501 C528/C536 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • | • • • | | | C498 | • | • | • | • |
| | C550/C551 C552/C553 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | | • • • | | C498 | • | • | • | • |
| | C900/C901 C902 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • | • • • | | | C498 | • | • | • | • |
| | C903/C905 C906 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • | • • • | | | C498 | • | • | • | • |
| | C907/C908 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • | • • • | | | C498 | • | • | • | • |
| | C950/C951 C952 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | | | • • • | | C498 | • | • | • | • |
| | C953/C955 C956 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | | | • • • | | C498 | • | • | • | • |
| | C957/C958 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | | | • • • | | C498 | • | • | • | • |

DIMENSION MATRIX

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

| GRAIN | MODEL NUMBER | COLLECTION | DESIGN | DOOR THICKNESS | PANEL NUMBER | CUTOUT OPTIONS | SDL OPTIONS | WIDTH | HEIGHT | | | MATCHING SIDELITE | SIDELITE WIDTH | | | | |
|------------------------|------------------------|-----------------|------------------|------------------|--------------|-------------------------------|-------------|-------|--------|----|----|-------------------|--------------------|-----|-----|-----|---|
| | | | | | | | | | 6-8" | 7' | 8' | | 10" | 12" | 14" | 16" | |
| CHERRY | C601/C602 C603/C604 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | 32" | | | | C498 | • | • | • | • | |
| | | | | | | | | 34" | • | • | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | |
| | | | | | | | | 42" | • | • | | | | | | | |
| | C605/C606 C607/C615 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | | 32" | | | | C498 | • | • | • | • |
| | | | | | | | | | 34" | • | • | | | | | | |
| | | | | | | | | | 36" | • | • | | | | | | |
| | | | | | | | | | 42" | • | • | | | | | | |
| | C608/C609 C610/C611 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | C498 | • | • | • | • |
| | | | | | | | | | 34" | | | • | | | | | |
| | | | | | | | | | 36" | | | • | | | | | |
| | | | | | | | | | 42" | | | • | | | | | |
| C612/C613 C614/C665 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | C498 | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | |
| FIR | F300 | Craftsman | | 1-3/4" | 3 | 23-3/4"x15-1/4" | • | | 32" | | | | F-SL-1P F-SL-2P | • | • | • | • |
| | | | | | | | | | 34" | • | • | | | | | | |
| | | | | | | | | | 36" | • | • | | | | | | |
| | | | | | | | | | 42" | | | | | | | | |
| | F350 | Craftsman | | 1-3/4" 2-1/4" | 3 | 23-3/4"x19-1/4" | • | | 32" | | | • | F-SL-1P F-SL-2P | • | • | • | • |
| | | | | | | | | | 34" | | | • | | | | | |
| | | | | | | | | | 36" | | | • | | | | | |
| | | | | | | | | | 42" | | | | | | | | |
| | F800 | YoutStyle™ | | 1-3/4" | 1 | 22"x64" | • | | 32" | | | | F-SL-1P | • | • | • | • |
| | | | | | | | | | 34" | • | • | | | | | | |
| | | | | | | | | | 36" | • | • | | | | | | |
| | | | | | | | | | 42" | | | | | | | | |
| F801 | YoutStyle™ | | 1-3/4" 2-1/4" | 1 | 22"x80" | • | | 32" | | | • | F-SL-1P | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | |
| | | | | | | | | 42" | | | | | | | | | |
| EDGE SMOOTH | E703 | Contemporary | | 1-3/4" | Flush | 8"x64" 22"x3.5" 22"x64" | • | | 32" | • | • | | E704 | • | • | • | • |
| | | | | | | | | | 34" | • | • | | | | | | |
| | | | | | | | | | 36" | • | • | | | | | | |
| | | | | | | | | | 42" | • | • | | | | | | |
| | E705 | Contemporary | | 1-3/4" 2-1/4" | Flush | 8"x80" 22"x80" | • | | 32" | | | • | E707 | • | • | • | • |
| | | | | | | | | | 34" | | | • | | | | | |
| | | | | | | | | | 36" | | | • | | | | | |
| | | | | | | | | | 42" | | | • | | | | | |
| | E500/E501 E536/E528 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | • | • | | E704 | • | • | • | • |
| | | | | | | | | | 34" | • | • | | | | | | |
| | | | | | | | | | 36" | • | • | | | | | | |
| | | | | | | | | | 42" | • | • | | | | | | |
| E550/E551 E552/E553 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | E707 | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | |
| E900/E901 E902 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | • | • | | E704 | • | • | • | • | |
| | | | | | | | | 34" | • | • | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | |
| | | | | | | | | 42" | • | • | | | | | | | |
| E903/E905 E906 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | | | | E704 | • | • | • | • | |
| | | | | | | | | 34" | • | • | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | |
| | | | | | | | | 42" | • | • | | | | | | | |
| E904 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | | | | E704 | • | • | • | • | |
| | | | | | | | | 34" | • | • | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | |
| E907/E908 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | • | • | | E704 | • | • | • | • | |
| | | | | | | | | 34" | • | • | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | |
| | | | | | | | | 42" | • | • | | | | | | | |

DIMENSION MATRIX

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

| GRAIN | MODEL NUMBER | COLLECTION | DESIGN | DOOR THICKNESS | PANEL NUMBER | CUTOUT OPTIONS | SDL OPTIONS | WIDTH | HEIGHT | | | MATCHING SIDELITE | SIDELITE WIDTH | | | |
|-------------|------------------------|--------------|-----------------|------------------|--------------|------------------------------------|----------------------------------|--------------------------|--------------------------|------------------|--------------------|-------------------|----------------|-----|-----|-----|
| | | | | | | | | | 6-8" | 7' | 8' | | 10" | 12" | 14" | 16" |
| EDGE SMOOTH | E955/E956 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | | • • • • | E707 | • | • | • | • |
| | E957/E958 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | | • • • • | E707 | • | • | • | • |
| | E601/E602 E603/E604 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | E704 | • | • | • | • |
| | E605/E606 E607/E615 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | E704 | • | • | • | • |
| | E608/E609 E610/E611 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | | • • • • | E707 | • | • | • | • |
| | E612/E613 E614/E665 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | | • • • • | E707 | • | • | • | • |
| | E700 | Contemporary | | 1-3/4" | 2 | 22"x48" | • | 32" 34" 36" 42" | • • • • | • • • • | | E702 | | • | • | |
| | E701 | Contemporary | | 1-3/4" | 3 | 22"x17" | | 32" 34" 36" 42" | • • • • | • • • • | | E704 | • | • | • | • |
| | E706 | Contemporary | | 1-3/4" 2-1/4" | 2 | 22"x64" 22"x80" | • | 32" 34" 36" 42" | | | • • • • | E708 | | • | • | |
| | E721 | Craftsman | | 1-3/4" | 3 | 23-3/4"x15" | • | 32" 34" 36" 42" | • • • • | • • • • | | E704 | • | • | • | • |
| | E736 | Shaker | | 1-3/4" | 2 | 22"x36" | • | 32" 34" 36" 42" | • • • • | • • • • | | E737 | | | • | • |
| | E746 | Shaker | | 1-3/4" 2-1/4" | 2 | 22"x48" | • | 32" 34" 36" 42" | | | • • • • | E747 | | | • | • |
| | E800 | Shaker | | 1-3/4" | 1 | 22"x64" | • | 32" 34" 36" 42" | • • • • | • • • • | | E737 | | | • | • |
| | MAHOGANY | M247 | Classic | | 1-3/4" | 6 | 22"x11" CT 22"x36" 22"x64" | • | 32" 34" 36" 42" | • • • • | • • • • | M-SL-36 | | • | • | • |
| M262 | | Classic | | 1-3/4" | 3 | 14"x37" O 22"x48" CT 22"x48" | • | 32" 34" 36" 42" | • • • • | • • • • | M-SL-48 | | • | • | • | |
| OAK | O277 | Classic | | 1-3/4" | 6 | 22"x11" CT 22"x36" 22"x64" | • | 32" 34" 36" 42" | • • • • | • • • • | O-SL-36 | | • | • | • | |
| | O292 | Classic | | 1-3/4" | 8 | 8"X42" RT | • | 32" 34" 36" 42" | • • • • | • • • • | O-SL-36 O-SL-48 | | • | • | • | |
| | O294 | Classic | | 1-3/4" | 3 | 22"x48" 22"x48" CT 14"x37"O | • | 32" 34" 36" 42" | • • • • | • • • • | O-SL-48 | | • | • | • | |
| | O308/O309 | Classic | | 1-3/4" | 2 | 14"x37"O 22"x48" 22"x64" | | 32" 34" 36" 42" | • • • • | • • • • | O-SL-48 | • | • | • | • | |

DIMENSION MATRIX

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

| GRAIN | MODEL NUMBER | COLLECTION | DESIGN | DOOR THICKNESS | PANEL NUMBER | CUTOUT OPTIONS | SDL OPTIONS | WIDTH | HEIGHT | | | MATCHING SIDELITE | SIDELITE WIDTH | | | | |
|-------|------------------------|--------------|-----------------|------------------|------------------|-------------------|----------------------|--------------------------|--------------------------|------------------|------------------|-------------------|----------------|-----|-----|-----|---|
| | | | | | | | | | 6-8" | 7' | 8' | | 10" | 12" | 14" | 16" | |
| OAK | O499 | Contemporary | Flush | 1-3/4" 2-1/4" | Flush | 8"x64" 22"x64" | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | |
| | O599 | Contemporary | Flush | 1-3/4" 2-1/4" | Flush | 8"x80" 22"x80" | | 32" 34" 36" 42" | | • • • • | | O498 | • | • | • | • | |
| | O124/O125 | Contemporary | Engraved | 1-3/4" | Plank | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | |
| | O154/O155 | Contemporary | Engraved | 1-3/4" 2-1/4" | Plank | | | 32" 34" 36" 42" | | • • • • | | O498 | • | • | • | • | |
| | O500/O501 O528/O536 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | |
| | O550/O551 O552/O553 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | • • • • | | O498 | • | • | • | • | |
| | O900/O901 O902 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | |
| | O903/O905 O906 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | | • • • • | | O498 | • | • | • | • | |
| | O907/O908 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | |
| | O950/O951 O952 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | |
| | O953/O955 O956 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | |
| | O957/O958 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | |
| | O601/O602 O603/O604 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | |
| | O605/O606 O607/O608 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | |
| | O608/O609 O610/O611 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | • • • • | | O498 | • | • | • | • | |
| | O612/O613 O614/O665 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | • • • • | | O498 | • | • | • | • | |
| | KNOTTY ALDER | KA159/KA160 | Rustic | | 1-3/4" | 2 | 22"x36" 22"x64" | • | 32" 34" 36" 42" | • • • • | • • • • | | KA-SLR | | • | • | • |
| | | KA165/KA166 | Rustic | | 1-3/4" 2-1/4" | 2 | 22"x48" 22"x48"CT | • | 32" 34" 36" 42" | | • • • • | | KA-SLR | | • | • | • |



Limited Lifetime Warranty.

Visit www.mastergrain.com for details.



MASTERGRAIN Manufacturing

16567 ON-12, Midland, ON L4R 4L1

MASTERGRAIN Billing

16566 ON-12, Midland, ON, L4R 4L1

Toll Free 1 (800) 782-0559

Contact Us



MASTERGRAIN™ reserves the right to make changes to product design, finishes and technology. Doors depicted in this brochure may not be exactly as shown.

02-2026